JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 390

AUTHOR INDEX

Al-Fekri, D.M., (390) 275
Alt, H.G., (390) 53, 159
Amatore, C., (390) 389
Arsenault, G.J., (390) 121
Ashby, E.C., (390) 275

Balakrishna, M.S., (390) 203
Balavoine, G., (390) C84
Barion, D., (390) C89
Bel'sky, V.K., (390) 35, 153
Benyunes, S.A., (390) C32
Biagini, P., (390) C61
Bianchini, C., (390) C16
Bickelhaupt, F., (390) 171, C1
Bir, G., (390) 1
Birgele, I., (390) 139
Boersma, J., (390) C21
Bogoradovsky, E.T., (390) 139
Bown, M., (390) 379
Brandl, P., (390) C81
Brubaker, Jr., C.H., (390) 73
Brunner, H., (390) C81
Bruns, W., (390) C45
Bulychev, B.M., (390) 35, 153
Burlakov, V.V., (390) 113
Byers, P.K., (390) 399

Calligaris, M., (390) 267
Campostrini, R., (390) 267
Canty, A.J., (390) 399
Carturan, G., (390) 267
Casas, J.S., (390) 293
Catellani, M., (390) 251
Cheng, C.H., (390) 333
Cheng, C.Y., (390) 333
Chi, Y., (390) C50
Clarkson, L.M., (390) C10
Clinet, J.C., (390) C84
Consiglio, G., (390) C64

Danks, I.P., (390) 227
David, D.M., (390) C6
Del Zotto, A., (390) 97
Denner, C.E., (390) 53
Devanne, D., (390) 371
De Wolf, W.H., (390) 171
Dias, A.R., (390) 193
Dieck, H. tom, (390) 237
Dirè, S., (390) 267
Dixneuf, P.H., (390) 371
Do, K., (390) 91
Does, T. van der, (390) C1
Dülsen, S., (390) 309
Dyer, D.W., (390) C73

Echavarren, A.M., (390) C57
Ekkehardt Hahn, F., (390) 301
Eller, S., (390) 309
Erker, G., (390) 323

Fachinetti, G., (390) C61
Farrugia, L.J., (390) C10
Fauvarque, J.-F., (390) 389
Fendesak, G.H.B., (390) 237
Ferguson, G., (390) 121
Fest D., (390) 339
Fischer, R.D., (390) 309
Fontaine, X.L.R., (390) 379
Forniés, J., (390) 257
Funaioli, T., (390) C61

García Tasende, M.S., (390) 293
Ghazy, T., (390) 91
Giannotti, C., (390) C77
Goede, S.J., (390) C1
Goerlitz, F., (390) 19
Görls, H., (390) 113
Green, M., (390) C32
Guerra, M.A., (390) C73
Gunko, Yu. K., (390) 35, 153

Habben, C.D., (390) 339
Hall, C.D., (390) 227
Hampden-Smith, M.J., (390) 121
Harper, J.R., (390) C36
Helm, D. van der, (390) 19
Herrmann, G.S., (390) 159
Hor, T.S.A., (390) 345
Hosmane, N.S., (390) 203
Hossain, M.B., (390) 19
Huttner, G., (390) C50
Hwu, J.-M., (390) 179

Jenneskens, L.W., (390) 171
Jun, C.-H., (390) 361
Juris, A., (390) C61
Jutand, A., (390) 389
Jutzi, P., (390) 317

Kabuto, C., (390) C27
Kaim, W., (390) C45
Kane-Maguire, L.A.P., (390) 91, C6
Kaufmann, D., (390) 1
Kennedy, J.D., (390) 379
Koten, G. van, (390) C21
Krishnamurthy, S.S., (390) 203
Kroos, R., (390) 317
Krüger, C., (390) 323
Kumar Das, V.G., (390) 19

Lagow, R.J., (390) C73
Lai, C.-K., (390) 73
Lain, J.S., (390) 333
Le Floc'h, C., (390) C39
Liepiņš, E., (390) 139
Liu, L.-K., (390) C50
Lobana, T.S., (390) 29
Loebel, J., (390) 45
Lukevics, E., (390) 139

Mann, B.E., (390) 251
Marton, D., (390) 127
Matos, R., (390) C89
Mbogo, S.A., (390) 29
McAlees, A.J., (390) 121
McCrindle, R., (390) 121
McWhinnie, W.R., (390) 29
Meese-Marktscheffel, J.A., (390) 301
Mehrotra, S.K., (390) C73
Meidine, M.F., (390) C89
Mena, M., (390) 323
Montoya, J., (390) C57
Morandini, F., (390) C64

Nagy, A.G., (390) 217
Naiini, A.A., (390) 73
Nakao, R., (390) 7
Nardin, G., (390) 267
Navarro, R., (390) 257
Negri, S., (390) 389
Ng, S.W., (390) 19
Niecke, E., (390) C89
Nixon, J.F., (390) C89
Norman, N.C., (390) C10

Oehme, G., (390) 113
Oka, K., (390) 7
Oskam, A., (390) 61

Palamidis, E., (390) 45
Patalinghug, W.C., (390) 29
Peruzzini, M., (390) C16
Pétillon, F.Y., (390) C39
Phang, L.-T., (390) 345
Pickett, C.J., (390) C39
Polyakov, A.V., (390) 113
Prakasha, T.K., (390) 203
Pyne, S.G., (390) C6

Queirós, M.A., (390) 193

Rheingold, A.L., (390) C36
Rigo, P., (390) 97
Ros, J., (390) C57
Rosenthal, U., (390) 113
Ruhl, B.L., (390) 121

Sakurai, H., (390) C27
Sánchez, A., (390) 293
Santos, A., (390) C57
Schoemaker, G.C., (390) C1
Schumann, H., (390) 45, 301
Sekiguchi, A., (390) C27
Servaas, P.C., (390) 61
Sharpe, N.W., (390) 227
Sinnema, J.C.M., (390) 237
Siriwardane, U., (390) 203
Sizov, A.I., (390) 35, 153
Sohár, P., (390) 217
Soloveichik, G.L., (390) 35, 153
Sordo, J., (390) 293
Spek, A.L., (390) C21
Steen, F.H. van der, (390) C21
Struchkov, Yu. T., (390) 113
Stufkens, D.J., (390) 61, C1
Suárez Gimeno, M.I., (390) 293

Tagliavini, G., (390) 127
Talarmin, J., (390) C39
tom Dieck, H., (390) 237
Traill, P.R., (390) 399
Trigo Passos, B.F., (390) C89
Trzeciak, A.M., (390) 105

Urriolabeitia, E.P., (390) 257

Van der Does, T., (390) C1
Van der Helm, D., (390) 19
Van der Steen, F.H., (390) C21
Van Koten, G., (390) C21

Wang, S.-L., (390) 179, 333
Wang, Yu.-P., (390) 179
Ward, D.L., (390) 73
Wardell, J.L., (390) 127
Waters, J.M., (390) 379
Watson, A.A., (390) 399
Werner, S., (390) 323
White, A.H., (390) 29
Wojcicki, A., (390) 351
Wolf, W.H. de, (390) 171

Yanovsky, A.I., (390) 113
Yatabe, T., (390) C27
Young, G.H., (390) 351

Zakrzewski, J., (390) C77
Zanobini, F., (390) C16
Zavgorodny, V.S., (390) 139
Zordan, M., (390) 127
Zsolnai, L., (390) C50

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 390 (1990)

SUBJECT INDEX

Aluminium

$\{[(\eta^5\text{-}C_5H_4Bu^t)_2Sm(\mu_3\text{-}H)][(\mu_2\text{-}H)_2AlH\cdot OC_4H_8]\}_2$ 20-electron alumohydride complex of bis(t-butylcyclopentadienyl)samarium, crystal and molecular structure of (Yu.K. Gun'ko, B.M. Bulychev, A.I. Sizov, V.K. Bel'sky, G.L. Soloveichik), (390) 153

Antimony

$[\eta^5\text{-}C_5H_5Mo(CO)_2]_2(\mu,\eta^2\text{-}Sb_2)$, synthesis and molecular structure of; formation of an Sb=Sb double bond from metallic antimony (J.R. Harper, A.L. Rheingold), (390) C36

$[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ (M = Fe, Ru): organo-Sn^{IV}/Sb^{V} polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309

Arsenic

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317

Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73

Boron

$[\{(\eta^6\text{-}C_6Me_6)_2Ru_2H_4\}RuB_{10}H_8(OEt)_2]$, products of the reaction with carbon monoxide; NMR studies and crystal structure of $[\{(\eta^6\text{-}C_6Me_6)_2Ru_2H_2(CO)_2\}RuB_{10}H_8(OEt)_2]$ (M. Bown, J.M. Waters, X.L.R. Fontaine, J.D. Kennedy), (390) 379

1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

Isopinocampheyldibromoboranes, selective catalysts for asymmetric Diels–Alder reactions (G. Bir, D. Kaufmann), (390) 1

Chromium

$(CO)_5M{=}C(OMe)Ph$ (M = Cr, W) complexes, matrix photochemistry of; reactive MLCT and LF states of (P.C. Servaas, D.J. Stufkens, A. Oskam), (390) 61

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ Friedel–Crafts acylation of; crystal structure of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Cr(CO)_2(NO)$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179

$Cr(CO)_5(CNCN)$, a complex in which the coordinated CN group of isocyanogen binds and vibrates like a CO ligand (G.C. Schoemaker, D.J. Stufkens, S.J. Goede, T. van der Does, F. Bickelhaupt), (390) C1

Diphosphinoamines, $X_2PN(R)PX_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[Mo(CO)_4PhN(P(OPh)_2)_2]$ and $[W(CO)_4{}^iPrN(PPh_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

Indium monohalide insertion reactions into metal–metal bonds; crystal structure of $[InCl(THF)\text{-}\{Mo(CO)_3(\eta\text{-}C_5H_5)\}_2]$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317

Tricarbonyl(η^6-[8]paracyclophane)chromium, solvent dependence of the ^{1}H-NMR coordination chemical shifts of (L.W. Jenneskens, W.H. de Wolf, F. Bickelhaupt), (390) 171

Cobalt

Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

Cobalt(II) salts containing weakly-coordinating anions, reductive carbonylation in the presence of diphosphine ligands (A. Del Zotto, P. Rigo), (390) 97

$Co_2(CO)_8$, $Co_4(CO)_{12}$, and $Cp_2Mo_2(CO)_4$, reactions with tungsten and molybdenum propargyl complexes; study of the formation of $(CO)_3\overline{Co(\mu\text{-}RC{\equiv}CMe)W}Cp(CO)_2$ (G.H. Young, A. Wojcicki), (390) 351

Pyridine- and polypyridine-Co(I) complexes, photochemical generation by visible light irradiation of $[Co(bpy)_3](BPh_4)_2$ and $[Co(py)_6](BPh_4)_2$ (P. Biagini, T. Funaioli, A. Juris, G. Fachinetti), (390) C61

Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77

Gallium

Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73

Germanium

Ethynylstannanes, isotope $^{13/12}C$ effects on ^{119}Sn nucleus shielding in (E. Liepiņš, I. Birģele, E. Lukevics, E.T. Bogoradovsky, V.S. Zavgorodny), (390) 139

1,1,2,2,9,9,10,10-Octamethyl-1,2,9,10-tetragerma[2.2]paracyclophane: the first [2.2]paracyclophane bridged by two Ge–Ge bonds (A. Sekiguchi, T. Yatabe, C. Kabuto and H. Sakurai), (390) C27

Gold

Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

Indium

Indium monohalide insertion reactions into metal–metal bonds; crystal structure of $[InCl(THF)\{Mo(CO)_3(\eta\text{-}C_5H_5)\}_2]$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

Iridium

Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

Iron

Chalcone-analogous ferrocenes *ortho*-substituted in the aromatic ring, spectroscopic investigation of (A.G. Nagy, P. Sohár), (390) 217

Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ Friedel–Crafts acylation of; crystal structure of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Cr(CO)_2(NO)$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179

Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoicheiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227

Diphosphinoamines, $X_2PN(R)PX_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[Mo(CO)_4PhN(P(OPh)_2)_2]$ and $[W(CO)_4{}^iPrN(PPh_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

$Fe(CO)_4(\eta^1\text{-dppf})$ [where dppf = $(Ph_2PC_5H_4)_2Fe$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

Ferrocenylalkyl substituted imines, nucleophilic addition to; asymmetric synthesis of chiral amines (D.M. David, L.A.P. Kane-Maguire, S.G. Pyne), (390) C6

Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

$[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ (M = Fe, Ru): organo-Sn^{IV}/Sb^{V} polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309

Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77

Lanthanides

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-}C_5H_3Bu^t_2)_2Sm\cdot OC_4H_8$ and homoleptic ate complex $[NaSm(\eta^5:\eta^2\text{-}C_5H_4Bu^t)_3\cdot OC_4H_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

Lithium

$[Li(THF)_4][(C_5H_5)_2Lu(NPh_2)_2]$, synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45

Lutetium

Dicyclopentadienylbis(trimethylsilyl)lutetate anion, crystal structure of (H. Schumann, J.A. Meese-Marktscheffel, F. Ekkehardt Hahn), (390) 301

$[Li(THF)_4][(C_5H_5)_2Lu(NPh_2)_2]$, synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45

Magnesium

Magnesium, reaction with benzotrihalides and benzal halides; synthetic and mechanistic studies (E.C. Ashby, D.M. Al-Fekri), (390) 275

Manganese

$Fe(CO)_4(\eta^1\text{-dppf})$ [where dppf = $(Ph_2PC_5H_4)_2Fe$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

Mercury

Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293

Metallocenes

Chalcone-analogous ferrocenes *ortho*-substituted in the aromatic ring, spectroscopic investigation of (A.G. Nagy, P. Sohár), (390) 217

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ Friedel–Crafts acylation of; crystal structure of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Cr(CO)_2(NO)$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179

Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoicheiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-}C_5H_3Bu^t_2)_2Sm\cdot OC_4H_8$ and homoleptic ate complex $[NaSm(\eta^5:\eta^2\text{-}C_5H_4Bu^t)_3\cdot OC_4H_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

$Fe(CO)_4(\eta^1\text{-dppf})$ [where dppf = $(Ph_2PC_5H_4)_2Fe$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

Ferrocenylalkyl substituted imines, nucleophilic addition to; asymmetric synthesis of chiral amines (D.M. David, L.A.P. Kane-Maguire, S.G. Pyne), (390) C6

Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

(η^2-Formaldehyde)zirconocene, reactions with heteromolecules (G. Erker, M. Mena, S. Werner, C. Krüger), (390) 323

Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77

Titanocene, acetylene complexes of, as starting compounds in the preparation of five-membered titanacycles (H.G. Alt, G.S. Herrmann), (390) 159

Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53

Molybdenum

Charge relocation in cationic diene complexes: formation of an iminium-substituted allyl complex and its deprotonation to an enamine (S.A. Benyunes, M. Green), (390) C32

$[\eta^5\text{-}C_5H_5Mo(CO)_2]_2(\mu,\eta^2\text{-}Sb_2)$, synthesis and molecular structure of; formation of an Sb=Sb double bond from metallic antimony (J.R. Harper, A.L. Rheingold), (390) C36

$Co_2(CO)_8$, $Co_4(CO)_{12}$, and $Cp_2Mo_2(CO)_4$, reactions with tungsten and molybdenum propargyl complexes; study of the formation of $(CO)_3Co(\mu\text{-}RC{\equiv}CMe)WCp(CO)_2$ (G.H. Young, A. Wojcicki), (390) 351

Dicyclopentadienylmolybdenum, amidinato complexes of; synthesis and redox properties of (A.R. Dias, M.A. Queirós), (390) 193

Diphosphinoamines, $X_2PN(R)PX_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[Mo(CO)_4PhN(P(OPh)_2)_2]$ and $[W(CO)_4{}^iPrN(PPh_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

Indium monohalide insertion reactions into metal–metal bonds; crystal structure of [InCl(THF){$Mo(CO)_3(\eta\text{-}C_5H_5)$}$_2$] (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

Molybdenum(0) bialkyne complexes; synthesis, structure and properties of (J.S. Lain, C.H. Cheng, C.Y. Cheng, S.L. Wang), (390) 333

Molybdenum–molybdenum double bond electrogeneration from thiolate-bridged dinuclear precursors; carbon monoxide catalysed isomerisation about the Mo=Mo bond (C. Le Floc'h, F.Y. Pétillon, C.J. Pickett, J. Talarmin), (390) C39

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317

Nickel

Butadiene nickel(0) complexes, diazadiene stabilized; synthesis, characterisation and reaction with acetylene and carbon monoxide; crystal structures of (dad)Ni-$\mu[\sigma^{1,4};\eta^{1-4}\text{-}C_4H_4]$Ni(dad) and (dad)Ni-$\mu[\sigma^{1,4};\eta^{1-4}\text{-}C_4H_4]Ni(CO)_2$ (J.C.M. Sinnema, G.H.B. Fendesak, H. tom Dieck), (390) 237

2,3-η^2-(1,4-Dimethoxybut-2-yne)bis(tricyclohexylphosphane)nickel(0), $(Cy_3P)_2Ni(MeOCH_2C{\equiv}CCH_2\text{-}OMe)$, crystal and molecular structure of; influence of phosphane ligands on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görls, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (390) 113

Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

Osmium

$[HOs_3(\eta^2\text{-}CH{=}CH_2)(CO)_{10}]$ and $[CpFe(CO)_2(\eta^2\text{-}CH_2{=}CH_2)]PF_6$, kinetics and mechanism of the addition of methoxide ion to the π-hydrocarbon ligands in (T. Ghazy, L.A.P. Kane-Maguire, K. Do), (390) 91

Palladium

Cyclopalladated 2-t-butyl-4,4-dimethyl-2-oxazoline, preparation and use in the functionalisation of a non-activated carbon–hydrogen bond (G. Balavoine, J.C. Clinet), (390) C84

Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities

toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

Neutral palladium(IV) complexes containing *fac*-$PdMe_2R$ groups, synthesis and decomposition of; reductive elimination by η^1-propenylpalladium(IV) complexes to form η^3-propenylpalladium(II) species (P.K. Byers, A.J. Canty, P.R. Traill, A.A. Watson), (390) 399

Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275

Palladium-catalyzed synthesis of unsymmetrical donor–acceptor biaryls and polyaryls (C. Amatore, A. Jutand, S. Negri, J.-F. Fauvarque), (390) 389

Palladium(II) metallacyclic complex, oxidative addition of 3-bromoprop-1-ene to (M. Catellani, B.E. Mann), (390) 251

Phosphorus

Alkenyl carbonyl ruthenium(II) complexes, reaction with t-butyl isocyanide; synthesis of η^1-acylruthenium(II) complexes by intramolecular CO insertion (J. Montoya, A. Santos, A.M. Echavarren, J. Ros), (390) C57

Azadiphosphetine ring system $R\overline{P(NR')P=C}R'$ ($R = Et_3C$, $R' = Bu^t$), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89

Bis(chloromethyl)(1,5-cyclooctadiene)platinum(II), carbon–carbon bond formation upon ligand displacement with tricyclohexylphosphine; X-ray structure of *trans*-di-μ-chlorobis(2-tricyclohexylphosphonioethyl)bis(tricyclohexylphosphine)diplatinum(II) bis(hexafluorophosphate), (390) 121

Cobalt(II) salts containing weakly-coordinating anions, reductive carbonylation in the presence of diphosphine ligands (A. Del Zotto, P. Rigo), (390) 97

2,3-η^2-(1,4-Dimethoxybut-2-yne)bis(tricyclohexylphosphane)nickel(0), $(Cy_3P)_2Ni(MeOCH_2C{\equiv}CCH_2OMe)$, crystal and molecular structure of; influence of phosphane ligands on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görls, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (390) 113

Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317

Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73

$W(CO)_3(PR_3)_2$ H_2-coordinating fragments, binding characteristics of; optical and electrochemical properties of dinuclear pyrazine complexes (W. Bruns, W. Kaim), (390) C45

Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53

Platinum

Azadiphosphetine ring system $R\overline{P(NR')P=C}R'$ ($R = Et_3C$, $R' = Bu^t$), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89

Bis(chloromethyl)(1,5-cyclooctadiene)platinum(II), carbon–carbon bond formation upon ligand displacement with tricyclohexylphosphine; X-ray structure of *trans*-di-μ-chlorobis(2-tricyclohexylphosphonioethyl)bis(tricyclohexylphosphine)diplatinum(II) bis(hexafluorophosphate), (390) 121

Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275

trans-$Pt(\eta^1\text{-}C_3H_5)(phosphine_2)Cl$ complexes in benzene, carbon monoxide insertion into; crystal structure of *trans*-$[Pt(COCH_2CH{=}CH_2](PPh_3)_2Cl]$ (S. Dirè, R. Campostrini, G. Carturan, M. Calligaris, G. Nardin), (390) 267

Rhodium

η^1- or η^3-Alkylallylrhodium(III) complexes, reductive elimination of; synthesis of β,γ-unsaturated ketones (C.-H. Jun), (390) 361

Azadiphosphetine ring system $R\overline{P(NR')P=CR'}$ ($R = Et_3C$, $R' = Bu^t$), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89

Chiral (η^5-C_9H_7)Rh(diphosphine) complexes, stereochemistry of (F. Morandini, G. Consiglio), (390) C64

Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

$Rh(acac)\{P(OPh)_3\}_2$ modified with amines as catalyst for hex-1-ene hydroformylation; formation of reactive $HRh(CO)\{P(OPh)_3\}_3$ and unreactive $Rh_4(CO)_8\{P(OPh)_3\}_4$ species (A.M. Trzeciak), (390) 105

Rhodium/picolineoxazoline catalyst, use in enantioselective hydrosilylation of acetophenone (H. Brunner, P. Brandl), (390) C81

Ruthenium

Alkenyl carbonyl ruthenium(II) complexes, reaction with t-butyl isocyanide; synthesis of η^1-acylruthenium(II) complexes by intramolecular CO insertion (J. Montoya, A. Santos, A.M. Echavarren, J. Ros), (390) C57

Areneruthenium(II) complexes, carbene derivatives of; one step preparation from terminal alkynes (D. Devanne, P.H. Dixneuf), (390) 371

$[\{(\eta^6\text{-}C_6Me_6)_2Ru_2H_4\}RuB_{10}H_8(OEt)_2]$, products of the reaction with carbon monoxide; NMR studies and crystal structure of $[\{(\eta^6\text{-}C_6Me_6)_2Ru_2H_2(CO)_2\}RuB_{10}H_8(OEt)_2]$ (M. Bown, J.M. Waters, X.L.R. Fontaine, J.D. Kennedy), (390) 379

$LWRu_2(CO)_8(\mu\text{-}H)(\mu_3\text{-}NPh)$, L = Cp and Cp*, imido complex; reaction with the tungsten acetylide complex $CpW(CO)_3C{\equiv}CPh$ (Y. Chi, L.-K. Liu, G. Huttner, L. Zsolnai), (390) C50

$[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ (M = Fe, Ru): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309

Samarium

$\{[(\eta^5\text{-}C_5H_4Bu^t)_2Sm(\mu_3\text{-}H)][(\mu_2\text{-}H)_2AlH{\cdot}OC_4H_8]\}_2$ 20-electron alumohydride complex of bis(t-butylcyclopentadienyl)samarium, crystal and molecular structure of (Yu.K. Gun'ko, B.M. Bulychev, A.I. Sizov, V.K. Bel'sky, G.L. Soloveichik), (390) 153

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-}C_5H_3Bu^t_2)_2Sm{\cdot}OC_4H_8$ and homoleptic ate complex $[NaSm(\eta^5:\eta^2\text{-}C_5H_4Bu^t)_3{\cdot}OC_4H_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

$[Li(THF)_4][(C_5H_5)_2Lu(NPh_2)_2]$, synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45

Silicon

Dicyclopentadienylbis(trimethylsilyl)lutetate anion, crystal structure of (H. Schumann, J.A. Meese-Marktscheffel, F. Ekkehardt Hahn), (390) 301

Phenyl(trimethylsilyl)silylene, reaction with chloromethanes; insertion into the C–Cl bond and abstraction of chlorine and HCl (K. Oka, R. Nakao), (390) 7

Sodium

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-}C_5H_3Bu^t_2)_2Sm{\cdot}OC_4H_8$ and homoleptic ate complex $[NaSm(\eta^5:\eta^2\text{-}C_5H_4Bu^t)_3{\cdot}OC_4H_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

Sulphur

Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoicheiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227

1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

Molybdenum–molybdenum double bond electrogeneration from thiolate-bridged dinuclear precursors;

carbon monoxide catalysed isomerisation about the Mo=Mo bond (C. Le Floc'h, F.Y. Pétillon, C.J. Pickett, J. Talarmin), (390) C39

Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293

Tellurium

Chloro-*p*-ethoxyphenyl-2-(2-pyridyl)phenyltelluronium(IV) trichloromercurate(II), crystal and molecular structure of (T.S. Lobana, S.A. Mbogo, W.R. McWhinnie, W.C. Patalinghug, A.H. White), (390) 29

Thorium

Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293

Tin

Allylstannanes with boron trifluoride etherate and boron trichloride as reagents in allylation reactions of aldehydes (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (390) 127

Ethynylstannanes, isotope $^{13/12}C$ effects on ^{119}Sn nucleus shielding in (E. Liepiņš, I. Birģele, E. Lukevics, E.T. Bogoradovsky, V.S. Zavgorodny), (390) 139

$[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ (M = Fe, Ru): organo-Sn^{IV}/Sb^{V} polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309

Triorganostannate esters of dicarboxylic acids, synthesis of; crystal structure of bis(dicyclohexylammonium) trisoxalatotetrakis(tri-n-butylstannate)·2ethanol (S.W. Ng, V.G. Kumar Das, M.B. Hossain, F. Goerlitz, D. van der Helm), (390) 19

Titanium

Titanocene, acetylene complexes of, as starting compounds in the preparation of five-membered titanacycles (H.G. Alt, G.S. Herrmann), (390) 159

Tungsten

Azadiphosphetine ring system $R\overline{P(NR')P=CR'}$ (R = Et_3C, R′ = Bu^t), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89

$Co_2(CO)_8$, $Co_4(CO)_{12}$, and $Cp_2Mo_2(CO)_4$, reactions with tungsten and molybdenum propargyl complexes; study of the formation of $(CO)_3\overline{Co(\mu\text{-}RC{\equiv}CMe)W}Cp(CO)_2$ (G.H. Young, A. Wojcicki), (390) 351

$(CO)_5M{=}C(OMe)Ph$ (M = Cr, W) complexes, matrix photochemistry of; reactive MLCT and LF states of (P.C. Servaas, D.J. Stufkens, A. Oskam), (390) 61

Diphosphinoamines, $X_2PN(R)PX_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[Mo(CO)_4PhN(P(OPh)_2)_2]$ and $[W(CO)_4{}^{i}PrN(PPh_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

$Fe(CO)_4(\eta^1\text{-dppf})$ [where dppf = $(Ph_2PC_5H_4)_2Fe$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

Indium monohalide insertion reactions into metal–metal bonds; crystal structure of $[InCl(THF)\{Mo(CO)_3(\eta\text{-}C_5H_5)\}_2]$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

$LWRu_2(CO)_8(\mu\text{-}H)(\mu_3\text{-}NPh)$, L = Cp and Cp*, imido complex; reaction with the tungsten acetylide complex $CpW(CO)_3C{\equiv}CPh$ (Y. Chi, L.-K. Liu, G. Huttner, L. Zsolnai), (390) C50

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp*) ligands: synthesis and Cp* transfer (P. Jutzi, R. Kroos), (390) 317

$W(CO)_3(PR_3)_2$ H_2-coordinating fragments, binding characteristics of; optical and electrochemical properties of dinuclear pyrazine complexes (W. Bruns, W. Kaim), (390) C45

Zinc

Organozinc enolates of *N,N*-disubstituted glycine esters, synthesis of; crystal structure of $[Et\overline{ZnOC(OMe){=}C(H)N}(t\text{-}Bu)Me]_4$ (F.H. van der Steen, J. Boersma, A.L. Spek, G. van Koten), (390) C21

Zirconium

(η^2-Formaldehyde)zirconocene, reactions with heteromolecules (G. Erker, M. Mena, S. Werner, C. Krüger), (390) 323
Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53

Book reviews

The elements; by J. Emsley (P.A. Chaloner), (390) C69
United States–Japan seminar on host–guest chemistry; edited by G.W. Gokel, K. Koga (P.A. Chaloner), (390) C70